


CLAIMS

1. A compound according to formula I



wherein

X_3 and X_4 are selected from N and C, such that when X_3 is N, X_4 is C and when X_3 is C, X_4 is N;

P is selected from aryl and heteroaryl;

if $m = 1$ then R^1 is attached to P via a carbon atom on ring P at the meta-position of the ring P relative to the attachment point of P at X^3 , and if $m = 2$ then R^1 is attached to P via carbon atoms on ring P at the 2-, and 5-positions of the ring P;

R^1 is selected from the group consisting of hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl, OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkyl C_{3-6} cycloalkyl, OC_{0-6} alkyl C_{3-6} cycloalkyl, C_{0-6} alkylaryl, OC_{0-6} alkylaryl, CHO, $(CO)R^5$, $O(CO)R^5$, $O(CO)OR^5$, $O(CNR^5)OR^5$, C_{1-6} alkyl OR^5 , OC_{2-6} alkyl OR^5 , C_{1-6} alkyl $(CO)R^5$, OC_{1-6} alkyl $(CO)R^5$, C_{0-6} alkyl CO_2R^5 , OC_{1-6} alkyl CO_2R^5 , C_{0-6} alkylcyano, OC_{2-6} alkylcyano, C_{0-6} alkyl NR^5R^6 , OC_{2-6} alkyl NR^5R^6 , C_{1-6} alkyl $(CO)NR^5R^6$, OC_{1-6} alkyl $(CO)NR^5R^6$, C_{0-6} alkyl $NR^5(CO)R^6$, OC_{2-6} alkyl $NR^5(CO)R^6$, C_{0-6} alkyl $NR^5(CO)NR^5R^6$, C_{0-6} alkyl SR^5 , OC_{2-6} alkyl SR^5 , C_{0-6} alkyl $(SO)R^5$, OC_{2-6} alkyl $(SO)R^5$, C_{0-6} alkyl SO_2R^5 , OC_{2-6} alkyl SO_2R^5 , C_{0-6} alkyl $(SO_2)NR^5R^6$, OC_{2-6} alkyl $(SO_2)NR^5R^6$, C_{0-6} alkyl $NR^5(SO_2)R^6$, OC_{2-6} alkyl $NR^5(SO_2)R^6$, C_{0-6} alkyl $NR^5(SO_2)NR^5R^6$, OC_{2-6} alkyl $NR^5(SO_2)NR^5R^6$, $(CO)NR^5R^6$, $O(CO)NR^5R^6$, NR^5OR^6 , C_{0-6} alkyl $NR^5(CO)OR^6$, OC_{2-6} alkyl $NR^5(CO)OR^6$, SO_3R^5 and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

X^1 is selected from the group consisting of C_{2-3} alkyl, C_{2-3} alkenyl, NR^3 , O, S, CR^3R^4 , SO, SO_2

X^2 is selected from the group consisting of a bond, CR^3R^4 , O, S, NR^3 , SO, SO_2

R^3 and R^4 are independently selected from a group consisting of hydrogen, hydroxy, C_{1-6} alkyl, C_{0-6} alkylcyano, oxo, $=NR^5$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-4} alkyl C_{3-7} cycloalkyl, C_{3-7} cycloalkyl, $O(CO)C_{1-4}$ alkyl, $(CO)C_{1-4}$ alkyl, C_{1-4} alkyl $(SO)C_{0-4}$ alkyl, C_{1-4} alkyl $(SO_2)C_{0-4}$ alkyl, $(SO)C_{0-4}$ alkyl, $(SO_2)C_{0-4}$ alkyl, OC_{1-4} alkyl, C_{1-4} alkyl OR^5 and C_{0-4} alkyl NR^5R^6 ;

Q is either selected from triazole, piperazine, and imidazole, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring;

R^2 is selected from the group consisting of hydroxy, C_{0-6} alkylcyano, $=NR^5$, $=O$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, C_{0-6} alkylcycloalkyl, C_{0-6} alkylheterocycloalkyl, OC_{1-4} alkyl, OC_{0-6} alkylaryl, $O(CO)C_{1-4}$ alkyl, $(CO)OC_{1-4}$ alkyl, C_{0-4} alkyl(S) C_{0-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, $(SO)C_{0-4}$ alkyl, $(SO_2)C_{0-4}$ alkyl, C_{1-4} alkylOR⁵, C_{0-4} alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A; and
 any C_{1-6} alkyl, aryl, or heteroaryl defined under R^1 , R^2 and R^3 may be substituted by one or more A; and

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, C_{0-6} alkylcyano, C_{0-4} alkyl C_{3-6} cycloalkyl, C_{1-6} alkyl, $-OC_{1-6}$ alkyl, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{2-6} alkenyl, C_{0-3} alkylaryl, C_{0-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkylSR⁵, OC_{2-6} alkylSR⁵, $(CO)R^5$, $O(CO)R^5$, OC_{2-6} alkylcyano, OC_{1-6} alkylCO₂R⁵, $O(CO)OR^5$, OC_{1-6} alkyl(CO)R⁵, C_{1-6} alkyl(CO)R⁵, NR^5OR^6 , $C_{0-6}NR^5R^6$, OC_{2-6} alkylNR⁵R⁶, C_{0-6} alkyl(CO)NR⁵R⁶, OC_{1-6} alkyl(CO)NR⁵R⁶, OC_{2-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)NR⁵R⁶, $O(CO)NR^5R^6$, C_{0-6} alkyl(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)NR⁵R⁶, C_{0-6} alkylNR⁵(SO₂)R⁶, OC_{2-6} alkylNR⁵(SO₂)R⁶, SO_3R^5 , C_{1-6} alkylNR⁵(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO)R⁵, OC_{2-6} alkyl(SO)R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

R^5 and R^6 are independently selected from, H, C_{1-6} alkyl, C_{3-7} cycloalkyl and aryl
 and salts and hydrates thereof
 m is selected from 1 or 2
 p is selected from 0, 1, 2, 3 or 4
 or a salt or hydrate thereof;

provided that the compound is not

1-(2-benzothiazolyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine,
 1-(4-acetylphenyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine, or
 5-(5-methyl-2-furanyl)-N-(2-phenyl-2H-benzotriazol-5-yl)-2H-tetrazole-2-acetamide.

2. A compound according to claim 1 wherein X_3 is N and X_4 is C.

3. A compound according to claim 1 wherein P is aryl.

4. A compound according to claim 3 wherein P is phenyl.

5. A compound according to claim 1 wherein R^1 is selected from halo, C_{1-6} alkyl, $-OC_{1-6}$ alkyl, C_{0-6} alkylcyano.

6. A compound according to claim 5 wherein, R^1 is selected from Cl, F, cyano and methyl.

7. A compound according to claim 1 wherein X^1 is CR^3R^4 .

8. A compound according to claim 7 wherein X^2 is selected from CR^3R^4 , O, S and NR^3 .
9. A compound according to claim 1 wherein Q is either selected from triazole and piperazine, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring.
10. A compound according to claim 1 wherein Q is triazole.
11. A compound according to claim 1 wherein X^2 is a bond.
12. A compound according to claim 1 wherein Q is piperazine.
13. A compound according to claim 1 wherein Q is a 5-, 6-, or 7-membered heterocyclic ring, other than triazole or piperazine, and is fused to a triazole ring.
14. A compound according to claim 1 wherein R^2 is selected from the group consisting of C_{1-6} alkyl, C_{1-6} alkylhalo, C_{3-7} cylcoalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, $O(CO)C_{1-4}$ alkyl.
15. A compound according to claim 1 wherein R^2 is a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A.
16. A compound according to claim 1 wherein A is selected from the group consisting of halo, $-OC_{1-6}$ alkyl, $C_{0-6}NR^5R^6$, C_{1-6} alkylhalo.
17. A compound according to claim 1 selected from:
- Ethyl 4-{{2-(3-chlorophenyl)-2H-tetrazol-5-yl}methyl}piperazine-1-carboxylate,
- 4-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-(2-m-Tolyl-2H-tetrazol-5-ylmethyl)-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Cyano-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[5-({2-(3-chlorophenyl)-2H-tetrazol-5-yl}methyl)thio]-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,
- 4-[5-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,
- Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- 4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
- 4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

- 4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 5 4-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethyl}-piperazine-1-carboxylic acid ethyl ester,
- 4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
- 4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 10 4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-tetrazol-2-yl]-benzonitrile,
- 15 3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-tetrazol-2-yl}-benzonitrile
- 3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-tetrazol-2-yl}-benzonitrile 4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 20 4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-yl-methyl)-amine,
- 25 Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,
- [2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 30 {1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- [2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- {1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 35 [2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- {1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 40 Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-yl-methyl)-amine,

- Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,
[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
5 {1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
10 8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
15 3-Pyridin-4-yl-8-(2-m-tolyl-2H-tetrazol-5-ylmethyl)-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
3-Pyridin-4-yl-8-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
20 8-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
25 8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
30 4-(5-{[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
35 4-[4-Methyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
40 4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

- 4-{5-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethoxy]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
- 4-(5-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 5 4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,
- 4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 10 4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-{5-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
- 15 4-(5-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-{4-Cyclopropyl-5-[2-(3-iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 20 4-(4-Cyclopropyl-5-{1-[2-(3-iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,
- 3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile
- 3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,
- 25 3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile,
- 3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,
- 30 3-(5-{[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-methyl}-tetrazol-2-yl)-benzonitrile,
- 3-(5-{1-[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-ethyl}-tetrazol-2-yl)-benzonitrile,
- 3-[5-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,
- 35 3-{5-[1-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,
- 3-[5-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,
- 40 3-{5-[1-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,
- (R) & (S)-4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

2-(3-chloro-phenyl)-5-[(triphenyl- λ^5 -phosphanyl)-methyl]-2H-tetrazole hydrobromide,
4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,

4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,

1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethanol,

2-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-1-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethanol,

4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,

3-[4-Methyl-5-({[2-(3-methylphenyl)-2H-tetrazol-5-yl]methyl}thio)-4H-1,2,4-triazol-
3-yl]benzonitrile,

5-({[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}methyl)-2-(3-
methylphenyl)-2H-tetrazole,

3-[4-Methyl-5-({1-[2-(3-methylphenyl)-2H-tetrazol-5-yl]ethyl}thio)-4H-1,2,4-triazol-
3-yl]benzonitrile,

5-(1-{[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}ethyl)-2-(3-
methylphenyl)-2H-tetrazole,

6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-
carbonitrile,

2-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
1-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-4-(3-nitropyridin-2-yl)piperazine,

8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(3,5-difluorophenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(4-methoxyphenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

3-(2-Chloro-6-methoxypyridin-4-yl)-8-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}-
5,6,7,8-Tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

8-{[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]methyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

- 3-(5-{[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidine-8(5H)-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- 3-(2-Methoxypyridin-4-yl)-8-{1-[2-(3-iodophenyl)-2H-tetrazol-5-yl]ethyl}-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
- 5 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- 3-(5-{[3-(2-Methoxypyridin-4-yl)-5,6,7,8-tetrahydro-9H-[1,2,4]triazolo[4,3-a][1,3]diazepin-9-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- 10 3-(5-{[3-(2,6-Dimethoxypyrimidin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- (R) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- (S) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- 15 (R) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (S) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (R) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (S) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- 20 (R) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
- (S) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
- (R) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
- 25 (S) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
- 4-(5-{(S)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 2-(3-Chloro-phenyl)-5-{(R)-1-[5-(3,5-difluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yloxy]-ethyl}-2H-tetrazole,
- 30 3-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{2-[5-(3-Chlorophenyl)-2H-tetrazol-2-yl]propyl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
- 35 4-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 2-(3-chlorophenyl)-5-[1-methyl-2-phenylvinyl]-2H-tetrazole, and
- 2-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-imidazo[4,5-b]pyridine.
18. A pharmaceutical composition comprising as active ingredient a therapeutically effective amount of the compound according to any one of claims 1 to 17, in association with one or more pharmaceutically acceptable diluents, excipients and/or inert carriers.
- 40

19. The pharmaceutical composition according to claim 18, for use in the treatment of mGluR 5 mediated disorders.
- 5 20. The compound according to any one of claims 1 to 17, for use in therapy.
21. The compound according to any one of claims 1 to 17, for use in treatment of mGluR 5 mediated disorders.
- 10 22. Use of the compound according to any one of claims 1 to 17, in the manufacture of a medicament for the treatment of mGluR 5 mediated disorders.
- 15 23. A method of treatment of mGluR 5 mediated disorders, comprising administering to a mammal, including man in need of such treatment, a therapeutically effective amount of the compound according to any one of claims 1 to 17.
24. The method according to claim 23, for use in treatment of neurological disorders.
25. The method according to claim 23, for use in treatment of psychiatric disorders.
- 20 26. The method according to claim 23, for use in treatment of chronic and acute pain disorders.
27. The method according to claim 23, for use in treatment of gastrointestinal disorders.
- 25 28. A method for inhibiting activation of mGluR 5 receptors, comprising treating a cell containing said receptor with an effective amount of the compound according to claim 1-17.